Survey: **BG1/14**
month: **February 2014**
Participant-No: **9900540**
date of issue: **08.02.14**

RfB
Referenzinstitut für Bioanalytik

**Referenzinstitut für Bioanalytik**

DAkkS
Deutsche Akkreditierungsstelle
D-EP-1S117-01-00

Vseobecna fafultni nemocnice
Centralni Laborator na UKBLD
Prof. MUDr. Zima, RNDr. Benakova
U Nemocnice 2
12808 PRAHA 2
CZECH REPUBLIC

Ringversuchsleiter
Prof. Dr. C. Knabbe
Prof. Dr. Dr. K.P. Kohse
Prof. Dr. M. Neumaier

Leitung RfB
Dr. R. Kruse
Dr. W. J. Geilenkeuser

Bonn, 14. March 2014

## Certificate

We confirm that you have participated in the survey for blood gas analyses.

You have met the requirements of the survey for the following analytes:

| | | | | | |
|---|---|---|---|---|---|
| pH | (1) | pCO2 | (1) | pO2 | (1) |
| Sodium | (1) | Potassium | (1) | Calcium, ionized | (1) |
| Chloride | (1) | Glucose | (1) | Lactate | (1) |

**This certificate is valid until the end of August 2014.**

http://www.dgkl-rfb.de/cgi/certificate.cgi?nr=9900540&kw=BG141
&session=0&und=F29CE49196A7426A16A4B7694BE91971

**Referenzinstitut für Bioanalytik** - Friesdorfer Str. 153 - D-53175 Bonn
Tel. 0228 / 926895 - 0 - Fax 0228 / 926895-29 - Web: www.dgkl-rfb.de - E-Mail: info@dgkl-rfb.de