


Survey: BG4/21
month: October 2021
Participant-No: 9900540
date of issue: 30.10.21



Referenzinstitut für Bioanalytik

Všeobecná fakultní nemocnice v Praze
Centrální laborator na ULBLD
Prof. MUDr. Zima, RNDr. Benáková
U Nemocnice 499/2, budova A 7, 2. patro
12808 PRAHA 2
CZECH REPUBLIC



Survey directors
Prof. Dr. C. Knabbe
Prof. Dr. Dr. K.P. Kohse
Prof. Dr. M. Neumaier

Head of RfB
Dr. W. J. Geilenkeuser
Dr. A. Kessler

Bonn, 15. November 2021

Certificate

We confirm that you have participated in the survey for blood gas analyses.

You have met the requirements of the survey for the following analytes:

pH	(1)	pCO ₂	(1)	pO ₂	(1)
Sodium	(1)	Potassium	(1)	Calcium, ionized	(1)
Chloride	(1)	Glucose	(1)	Lactate	(1)

This certificate is according to the current version of the RiliBÄK valid until the end of April 2022.

W. J. Geilenkeuser A. Kessler

0000 po38/ EPPNIC0247827709_43_111_AD // 56049 1810 2306 3/15

http://www.rfb.bio/certificate?m=9900540&v_id=82214&version=3&uid=30471859384413526877115267709