

CERTIFICATE

Survey of 25 June 2021

You have fulfilled the requirements of the External Quality Assessment with the following analysis

Virus Immunology - SARS-CoV-2 (Ab) (4162):

Validity 12 months:

Anti-SARS-CoV-2 IgG


(R) analysis is subject to the RiliBÄK

Participant:

33247

Vseobecná fakultní nemocnice v Praze
Klinické laboratoře ULBLD
Serologická laborator
U Nemocnice 499/2
12808 Praha 2

Düsseldorf, 02 August 2021



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. rer. nat. Heinz Zeichhardt
(Adviser)

CERTIFICATE OF PARTICIPATION

Survey of 25 June 2021

You have participated in the External Quality Assessment with the following analysis

Virus Immunology - SARS-CoV-2 (Ab) (4162):

Anti-SARS-CoV-2 IgG

Anti-SARS-CoV-2 IgM


(R) analysis is subject to the RiliBÄK

Participant:

33247

Vseobecná fakultní nemocnice v Praze
Klinické laboratoře ULBLD
Serologická laborator
U Nemocnice 499/2
12808 Praha 2

Düsseldorf, 02 August 2021



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. rer. nat. Heinz Zeichhardt
(Adviser)