

# CERTIFICATE

Survey of 10 May 2024

You have fulfilled the requirements of the External Quality Assessment with the following analysis

## Haemostasis 06 - D-Dimer (226):

Validity 12 months:

D-Dimer (qual)

D-Dimer (quant.)

(R) analysis is subject to the RiliBÄK

**Customer:**  
**10012430**  
**MUDr. Martin Spacek, PhD.**  
**Vseobecna fakultni nemocnice v Praze**  
**Centralni hematologicke laboratore ULBLD**  
**U Nemocnice 2**  
**12808 Praha 2**

Düsseldorf, 02 July 2024



Prof. Dr. med. Michael Spannagl  
(Head of Reference Institution)



# CERTIFICATE OF PARTICIPATION

Survey of 10 May 2024

You have participated in the External Quality Assessment with the following analysis

## Haemostasis 06 - D-Dimer (226):

D-Dimer (qual)  
D-Dimer (quant.)

(R) analysis is subject to the RiliBÄK

**Customer:**  
**10012430**  
**MUDr. Martin Spacek, PhD.**  
**Vseobecná fakultní nemocnice v Praze**  
**Centrální hematologické laboratoře ULBLD**  
**U Nemocnice 2**  
**12808 Praha 2**

Düsseldorf, 02 July 2024



Prof. Dr. med. Michael Spannagl  
(Head of Reference Institution)

